Model NO.: SDL-01
All in one Solar Landscape Light 2500 Lumens
High quality/Efficiency/Energy Saving
Application: High way/Park/Street/Roadway/Parking
Lot/Public square/ plaza/Campus/Airfield/Farm &
Ranch/Remote Area/Military Base/Government
project for special use
Categories: Solar Street Light

www.usaemergencysolarenergy.com PH+1-303-634-2208 F ax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



| Features: Aluminum alloy case, Peacock Screen Design with Patent Replaceable Big Battery, Can Support 3 Nights Lighting Remote Control to Setting the Timer/Brightness PIR Motion Sensor For Energy Saving and Brighter Lighting Professional Lighting Distribution to Improve Brightness & Enlarge the Lighting Area Stable Current Output to Ensure Stable Brightness |                             | Sample Price  | 100 pcs<br>Price      |  |  |  |
|---|-----------------------------|---|-----------------------|--|--|--|
|   |                             | us\$299.75<br>BUY NOW   | us\$250.65<br>BUY NOW |  |  |  |
| LED   | 2500 Lumens,6000K±500K      | Lighting mode   |                       |  |  |  |
| Li-ion battery  | 26000 mAh 3.7 V (96.2WH)    | Option A:Dim lighting 375 lumens +motion sensor (Bright lighting 1250 lumens for 30secs when people move through the light),Lighting for 10 Hrs. One Night.  Option B:1 or 2 hrs.(optional) in 1250 lumens or 2500 lumens (optional), and then turn to lighting mode same as Option A above |                       |  |  |  |
| Solar Panel   | 12W 5.5V                    |   |                       |  |  |  |
| Install height  | 3 meters                    | Application: Courtyard/Public Square/ Park/Street/Roadway/pathway/Parking Lot//Garden/Sidewalk/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Military Base/Plaza/  |                       |  |  |  |
| Waterproof  | IP 65                       |   |                       |  |  |  |
| Solar charging time   | 10 hours by bright sunlight |   |                       |  |  |  |
| Lighting time   | Over 3 nights               |   |                       |  |  |  |
| Material  | Aluminium alloy + PC        | Retail packaging: L76.5*W21.5*H52.5 cm Carton size: L78.5* W45.7*H54.8 cm QTY/CTNS: 2PCS G.W/CTNS: www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com  |                       |  |  |  |
| Size  | 675x460x150 mm              |   |                       |  |  |  |
| Remote Controller Distance  | 6 Meters                    |   |                       |  |  |  |
| Warranty  | 2 years                     |   |                       |  |  |  |







## PRODUCTS DETAIL

•

## Main Features:

1.Design: Solar panel, Battery, LED panel are all in

One Integrated Design

2. Solar panel: High efficiency Glass Lamination panel

3.LED: High quality LED 120 lumen/W

4.Battery: A graded Li-ion battery No.18650

5.PIR: Motion sensor distance over 7M

6.Waterproof: IP65

7.Material: Aluminum Alloy + ABS

www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

## Working process instructions

