

Model NO. : SSL-04

All in one Solar Street Lights 5000Lumens

High quality/Efficiency/Energy Saving

Application: High way/Park/Street/Roadway/Parking

Lot/Public square/ plaza/Campus/Airfield/Farm &

Ranch/Remote Area/Military Base/Government

project for special use

Categories: [Solar Street Light](#)

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

<p>Features:  Elegant Integrated Design, Aluminum alloy case  72pcs Super-bright LEDs/3 LED panels,5000Lumens brightness equal to 500W normal lamp  Constant current output!  33W solar panel and the battery can be easily replaced by users  230.88 WH big capacity battery With the balance charging system.  Support zero-voltage charging  Night sensor + PIR motion sensor  PIR 120° wide detecting angle, 8m detecting distance  Support 3 nights after full charging  Easy to install and Auto on/off/PIR.</p>		price per unit	50 pcs Price			
		us\$725.31 <b>BUY NOW</b>	us\$689.45 <b>BUY NOW</b>			
<b>LED</b>	<b>5000Lumens,6000K±500K</b>	<b>Lighting mode</b>				
Li-ion battery	230.88WH,22.2V	<b>750 lumens dim light + motion sensor (Bright lighting 5000 lumens for 30secs when people move through the light)</b>				
Solar Panel	33 W,30V					
Install height	4~6 meters	<b>Application:  Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base</b>				
Waterproof	IP 65					
Solar charging time	10 hours by bright sunlight					
<b>Lighting time</b>	<b>Over 3 nights</b>	<b>Packing details:  Carton size for lamp: 165*29*31.5 CM  Retail packaging:163*13.5*29.5 cm  QTY/CTNS: 2PCS  G.W/CTNS: 25.6KG  Carton size for Bracket: 64*32*36 CM  Retail packaging:62*15*34 cm  QTY/CTNS: 2PCS  G.W/CTNS: 8KG  <b>Marks: Lamp and bracket Packed in different carton.</b>  <a href="http://www.usaemergencysolarenergy.com">www.usaemergencysolarenergy.com</a> PH+1-303-634-2208  Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com</b>				
Material	Aluminium alloy + toughened glass					
Size	1553*420.5*224.5 mm					
Distance of two lights	20 meters					
Warranty	3 years					



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
[sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



## • PRODUCTS DETAIL

•

Main Features:

- 1.Design: Solar panel, Battery, LED panel are all in One Integrated Design
- 2.Solar panel: High efficiency Glass Lamination panel
- 3.LED: High quality LED 120 lumen/W
- 4.Battery : A graded Li-ion battery No.18650
- 5.PIR :Motion sensor distance over 7M
- 6.Waterproof: IP65

Material : Aluminum Alloy + Tempered Glass

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



## Working process instructions

Use the supplied key pin to click the "on/off" socket to unlock the battery

Please fasten the light to the pole by the bolt

