

Model NO. : SGL-01

Solar Garden Light 100 Lumens

High quality/Efficiency/Energy Saving

Application: Courtyard/Garden/ garage door/
warehouse/stable/gateway/escape trunk/corridor etc.

Categories: [Solar Garden Light](#)

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

<p>Features: Warm white lighting for decorating 100% solar powered, wireless connection Super-bright LEDs, 100Lumens for whole night Over 3 nights long lighting time, Waterproof IP65 Battery Support zero-voltage charging, Short circuit & Over charging/discharging protection.</p>		price per unit	500 pcs Price			
		us\$77.99 BUY NOW	us\$61.45 BUY NOW			
LED	100Lumens,3000K±300K	Lighting mode				
Li-ion battery	2000 mAh 3.7V	First 5 hours 100% brightness 100 lumens + 7 hours 25% brightness 25 lumens until day				
Solar Panel	1.6W 5.5V					
Waterproof	IP 65	Application: Gate/Fence/Garden/Courtyard/Road/Park/Pathway etc				
Solar charging time	7~8 hours by bright sunlight					
Lighting time						
Material	Aluminum	Retail packaging:L21.0*W21.0*H32.5CM Carton size: L44*W44*H34.5CM QTY/CTNS: 4PCS G.W/CTNS: 7.9KG www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com				
Size	176*176*277mm					
Warranty	1 years					



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax:
+1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

•PRODUCTS DETAIL

•


Main Features:

- 1.Design: Solar panel, Battery, LED panel are all in One Integrated Design
- 2.Solar panel: High efficiency monocrystalline silicon
- 3.LED: High quality LED 120 lumen/W
- 4.Battery : A graded Li-ion battery No.18650
- 5.PIR :Motion sensor distance 3M
- 6.Waterproof: IP65
- 7.Material : Aluminum Alloy + PC

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

How's the light working?



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com