

Model NO. : SML-02

Solar Wall Light 200 Lumens

High quality/Efficiency/Energy Saving

Application: Courtyard/Garden/ garage door/
warehouse/stable/gateway/escape trunk/corridor etc.

Categories: **Solar Motion Wall Light**

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



| | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|--|--|--|
| <p>Features: Patent integrated design Dim mode: warm lighting, High brightness mode: Pure white 200 lumens super-bright LED, white and warm light Easy to install on wall and ideal for decoration</p> | | price per unit | 1000 pcs Price | | | |
| | | us\$48.95 BUY NOW | us\$37.67 BUY NOW | | | |
| LED | 200 lumens,2700K~6500K | Lighting mode | | | | |
| Li-ion battery | 2000 mAh 3.7 V | Dim mode at warm lighting + PIR Then 100% brightness at pure white lighting (30 seconds) | | | | |
| Solar Panel | 0.5W | | | | | |
| Install height | 2.5-3 meters | Application: Public Square/ Plaza/Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Military Base | | | | |
| Waterproof | IP 65 | | | | | |
| Solar charging time | 20 hours by bright sunlight | | | | | |
| Lighting time | | Packing details: Retail packaging: L13*6W.0*H12cm Carton size: L41*W32*H50cm QTY/CTNS: 60pcs G.W/CTNS: 14.3KG www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com | | | | |
| Material | PC | | | | | |
| Size | 127*114.5*55mm | | | | | |
| Warranty | 1 years | | | | | |
| | | | | | | |

www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



- **PRODUCTS DETAIL**

- Main Features:

- 1.Design: Solar panel, Battery, LED panel are all in One

- 2.Pull switch: adjust the brightness and lighting time

- 3.Solar panel: High efficiency monocrystalline silicon

- 4.LED: High quality LED 120 lumen/W

- 5.Battery : A graded Li-ion battery No.18650

- 6.PIR :Motion sensor distance 3M

- 7.Waterproof: IP65


Material : ABS + PC

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

How's the light working?

Srew on the wall or pole by the supplied screws



①

Step1: Light switch off for sun charging in daytime




②

Step2: It auto turn on Dim light in dark/ at night



Step4: When people leaving 2m away, the light will turn on Dim light again.



④

Step3: When people walk 2m near, the light will turn on bright light and delay 30S



③

www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com